L Number	Hits	Search Text	DB	Time stamp
1	301905	(disc$1 or disk$1 or platter$1).ti.	EPO; JPO; DERWENT	2003/11/24 12:21
2	5236	g11b005/82.ipc.	EPO; JPO; DERWENT	2003/11/24 08:48
3	3233074	ridge$1 or groove$1 or stiff$6 or projection$1 or rib$1 or asymmetric$5 or balanc$5 or imbalanc$5 or unbalanc$5 or raised or bump$1 or beam$1 or fin$1 or cool$3	EPO; JPO; DERWENT	2003/11/24 12:30
4	2725085	bar$1 or crossbar$1 or arc$1 or spoke$1 or brace$2 or strut$3 or truss$3 or stilt$5 or stanchion$3 or prop$4 or buttress$3 or counterbalanc$5 or strength$5 or rigid$5 or reinforc$8 or stabiliz$6	EPO; JPO; DERWENT	2003/11/24 12:20
5	2104	((ridge$1 or groove$1 or stiff$6 or projection$1 or rib$1 or asymmetric$5 or balanc$5 or imbalanc$5 or unbalanc$5 or raised or bump$1 or beam$1 or fin$1 or cool$3) or (bar$1 or crossbar$1 or arc$1 or spoke$1 or brace$2 or strut$3 or truss$3 or stilt$5 or stanchion$3 or prop$4 or buttress$3 or counterbalanc$5 or strength$5 or rigid$5 or reinforc$8 or stabiliz$6)) and g11b005/82.ipc.	EPO; JPO; DERWENT	2003/11/24 08:59
6	1419	((disc$1 or disk$1 or platter$1).ti.) and (((ridge$1 or groove$1 or stiff$6 or projection$1 or rib$1 or asymmetric$5 or balanc$5 or imbalanc$5 or unbalanc$5 or raised or bump$1 or beam$1 or fin$1 or cool$3) or (bar$1 or crossbar$1 or arc$1 or spoke$1 or brace$2 or strut$3 or truss$3 or stilt$5 or stanchion$3 or prop$4 or buttress$3 or counterbalanc$5 or strength$5 or rigid$5 or reinforc$8 or stabiliz$6)) and g11b005/82.ipc.)	EPO; JPO; DERWENT	2003/11/24 10:57
7	443627	reinforc$5 or stiff$5 or strengthen$4	EPO; JPO; DERWENT	2003/11/24 12:21
8	303600	((disc$1 or disk$1 or platter$1).ti.) or g11b005/82.ipc.	EPO; JPO; DERWENT	2003/11/24 10:58
9	4778	(reinforc$5 or stiff$5 or strengthen$4) and (((disc$1 or disk$1 or platter$1).ti.) or g11b005/82.ipc.)	EPO; JPO; DERWENT	2003/11/24 10:58
10	718	(bar$1 or crossbar$1 or brace$2 or rib$1 or beam$1) and ((reinforc$5 or stiff$5 or strengthen$4) and (((disc$1 or disk$1 or platter$1).ti.) or g11b005/82.ipc.))	EPO; JPO; DERWENT	2003/11/24 10:59

11	713	((bar$1 or crossbar$1 or brace$2 or rib$1 or beam$1) and ((reinforc$5 or stiff$5 or strengthen$4) and (((disc$1 or disk$1 or platter$1).ti.) or g11b005/82.ipc.))) not (((disc$1 or disk$1 or platter$1).ti.) and (((ridge$1 or groove$1 or stiff$6 or projection$1 or rib$1 or asymmetric$5 or balanc$5 or imbalanc$5 or unbalanc$5 or raised or bump$1 or beam$1 or fin$1 or cool$3) or (bar$1 or crossbar$1 or arc$1 or spoke$1 or brace$2 or strut$3 or truss$3 or stilt$5 or stanchion$3 or prop$4 or buttress$3 or counterbalanc$5 or strength$5 or rigid$5 or reinforc$8 or stabiliz$6)) and g11b005/82.ipc.))	EPO; JPO; DERWENT	2003/11/24 11:00
12	99	magnetic$6 and (((bar$1 or crossbar$1 or brace$2 or rib$1 or beam$1) and ((reinforc$5 or stiff$5 or strengthen$4) and (((disc$1 or disk$1 or platter$1).ti.) or g11b005/82.ipc.))) not (((disc$1 or disk$1 or platter$1).ti.) and (((ridge$1 or groove$1 or stiff$6 or projection$1 or rib$1 or asymmetric$5 or balanc$5 or imbalanc$5 or unbalanc$5 or raised or bump$1 or beam$1 or fin$1 or cool$3) or (bar$1 or crossbar$1 or arc$1 or spoke$1 or brace$2 or strut$3 or truss$3 or stilt$5 or stanchion$3 or prop$4 or buttress$3 or counterbalanc$5 or strength$5 or rigid$5 or reinforc$8 or stabiliz$6)) and g11b005/82.ipc.)))	EPO; JPO; DERWENT	2003/11/24 11:04
13	838	360/135.ccls.	EPO; JPO; DERWENT	2003/11/24 11:05
14	20	(reinforc$5 or stiff$5 or strengthen$4) and 360/135.ccls.	EPO; JPO; DERWENT	2003/11/24 11:04
15	1010	360/135.ccls.	USPAT; US-PGPUB	2003/11/24 11:05
16	417780	(ridge$1 or groove$1 or stiff$6 or projection$1 or rib$1 or asymmetric$5 or balanc$5 or imbalanc$5 or unbalanc$5 or raised or bump$1 or beam$1 or fin$1 or cool$3).ti,ab.	USPAT; US-PGPUB	2003/11/24 11:06
17	101166	(reinforc$5 or stiff$5 or strength$4).ti,ab.	USPAT; US-PGPUB	2003/11/24 11:07
18	40	360/135.ccls. and ((reinforc$5 or stiff$5 or strength$4).ti,ab.)	USPAT; US-PGPUB	2003/11/24 11:07
19	14	("3646533" | "3843188" | "3857296" | "4376963" | "4415942" | "4440586" | "4726007" | "5123625" | "5214549" | "5447801" | "5487926" | "5538774" | "5585195" | "5725931").PN.	USPAT	2003/11/24 12:12
20	2	6055140.URPN.	USPAT	2003/11/24 12:09

21	166	360/135.ccls. and ((ridge$1 or groove$1 or stiff$6 or projection$1 or rib$1 or asymmetric$5 or balanc$5 or imbalanc$5 or unbalanc$5 or raised or bump$1 or beam$1 or fin$1 or cool$3).ti,ab.)	USPAT	2003/11/24 12:13
22	159	(360/135.ccls. and ((ridge$1 or groove$1 or stiff$6 or projection$1 or rib$1 or asymmetric$5 or balanc$5 or imbalanc$5 or unbalanc$5 or raised or bump$1 or beam$1 or fin$1 or cool$3).ti,ab.)) not (360/135.ccls. and ((reinforc$5 or stiff$5 or strength$4).ti,ab.))	USPAT	2003/11/24 12:13
23	17330	ridge$1 or groove$1 or stiff$6 or projection$1 or rib$1 or asymmetric$5 or balanc$5 or imbalanc$5 or unbalanc$5 or raised or bump$1 or beam$1 or fin$1 or cool$3	IBM_TDB	2003/11/24 12:20
24	19660	bar$1 or crossbar$1 or arc$1 or spoke$1 or brace$2 or strut$3 or truss$3 or stilt$5 or stanchion$3 or prop$4 or buttress$3 or counterbalanc$5 or strength$5 or rigid$5 or reinforc$8 or stabiliz$6	IBM_TDB	2003/11/24 12:20
25	870	(disc$1 or disk$1 or platter$1) and magnetic$4 and ((ridge$1 or groove$1 or stiff$6 or projection$1 or rib$1 or asymmetric$5 or balanc$5 or imbalanc$5 or unbalanc$5 or raised or bump$1 or beam$1 or fin$1 or cool$3) or (bar$1 or crossbar$1 or arc$1 or spoke$1 or brace$2 or strut$3 or truss$3 or stilt$5 or stanchion$3 or prop$4 or buttress$3 or counterbalanc$5 or strength$5 or rigid$5 or reinforc$8 or stabiliz$6))	IBM_TDB	2003/11/24 12:21
26	1000	reinforc$5 or stiff$5 or strengthen$4	IBM_TDB	2003/11/24 12:21
27	62	((disc$1 or disk$1 or platter$1) and magnetic$4 and ((ridge$1 or groove$1 or stiff$6 or projection$1 or rib$1 or asymmetric$5 or balanc$5 or imbalanc$5 or unbalanc$5 or raised or bump$1 or beam$1 or fin$1 or cool$3) or (bar$1 or crossbar$1 or arc$1 or spoke$1 or brace$2 or strut$3 or truss$3 or stilt$5 or stanchion$3 or prop$4 or buttress$3 or counterbalanc$5 or strength$5 or rigid$5 or reinforc$8 or stabiliz$6))) and (reinforc$5 or stiff$5 or strengthen$4)	IBM_TDB	2003/11/24 12:27
28	242681	under adj2 (surface$1 side) or undersurfcae or underside or underneath or (opposing or opposite or nondata or nonrecord$3 or non adj record$3 or non adj data) adj (side or surface$1)	EPO; JPO; DERWENT	2003/11/24 12:30

29	6547	(ridge$1 or groove$1 or stiff$6 or projection$1 or rib$1 or asymmetric$5 or balanc$5 or imbalanc$5 or unbalanc$5 or raised or bump$1 or beam$1 or fin$1 or protrusion$1 or channel$1 or recess$2) near (under adj2 (surface$1 side) or undersurfcae or underside or underneath or (opposing or opposite or nondata or nonrecord$3 or non adj record$3 or non adj data) adj (side or surface$1))	EPO; JPO; DERWENT	2003/11/24 12:32
30	551521	g11b$.ipc.	EPO; JPO; DERWENT	2003/11/24 12:32
31	119	((ridge$1 or groove$1 or stiff$6 or projection$1 or rib$1 or asymmetric$5 or balanc$5 or imbalanc$5 or unbalanc$5 or raised or bump$1 or beam$1 or fin$1 or protrusion$1 or channel$1 or recess$2) near (under adj2 (surface$1 side) or undersurfcae or underside or underneath or (opposing or opposite or nondata or nonrecord$3 or non adj record$3 or non adj data) adj (side or surface$1))) and g11b$.ipc.	EPO; JPO; DERWENT	2003/11/24 12:32

C:\APPS\EAST\Workspaces\default.wsp